INDEX

Page

Acetaldehyde, content of pears, relation to picking time ... 483-486
Acid lead arsenate. *See* Lead arsenate, acid.
Acidity, sauerkraut, relation to temperature ... 289, 290-291
Acids, in apples, variation, study ... 625-632, 636, 637-638
Actinomyces scabies, on potato, relation to flea-beetle injury ... 810-814
Africa, West, mosaics, hosts and experimental studies ... 569-577
Agar, medium for legume-nodule bacteria in nitrogen fixation ... 913-915
Aerial Crown Gall of Apple. E. A. Siegler and R. B. Piper ... 249-262
Agrostis—
  canina, host of *Helminthosporium giganteum* ... 130-132, 135
  maritima, host of *Helminthosporium giganteum* ... 130, 132, 135
  stolonifera, host of *Helminthosporium giganteum* ... 131
Air, flowing, effect on—
  rooting and callusing of apple cuttings ... 86-109
  rooting and callusing of willow cuttings ... 86-88, 109-126, 127
Alfalfa—
  cold resistance of bound water, study ... 280-281
  germination, effects of various fumigants ... 926-927
  host of cotton root rot, study ... 643, 644, 647-650, 653, 672, 673
  nodule bacteria, growth and nitrogen fixation, experiments ... 907, 911, 913-920
  plants, infection with cotton root rot ... 211
  root—
    reserves against winterkilling ... 272-274
    tissue, freezing points, determination ... 264-268, 277-280, 281-282
  roots, freezing, factors affecting ... 272-277
  rotted, effectiveness in control of cotton root rot ... 203-206
  varieties—
    freezing points, study ... 266-268
    susceptibility to wilt, tests ... 352-353
  wilt fungus, additional hosts ... 351-353
  Winterkilling, Factors Involved. J. L. Weimer ... 263-283
Alkalinity, of culture media, effect on growth of *Sclerotium rolfsii* ... 48, 50, 53-55, 58-59
Alkaloids, of *Bikukulla* spp., characteristics, comparison ... 480
Allison, F. E.: Can Nodule Bacteria of Leguminous Plants Fix Atmospheric Nitrogen in the Absence of the Host? ... 893-924
Almond, host of cotton root rot ... 646-647, 672
Aluminum toxicity, of soils, relation to chlorosis in plants ... 876-877, 887-888, 891
Aphids—
  cause of mosaiclike disease of peanuts ... 574-575, 577
  transmission of—
    apple fire blight ... 588, 592-595, 613, 618, 619
    potato virus diseases ... 67, 71, 72-73
Apple—
  blossoms, inoculation with *Bacillus amylovorus* ... 593-594, 595-603
  cankers, overwintering of fire-blight organism ... 583-587
Crown Gall, Aerial—
  E. A. Siegler and R. B. Piper ... 249-262
  See also Crown gall; *Bacterium tumefaciens*.
  cuttings—
    oxygen requirement for rooting and callusing ... 109
    rooting and callusing, physiological study ... 81-109, 126-127
    water treatment, effect on rooting and callusing ... 86, 89-109

Apple—Continued. Page

  fire blight—
    control experiments ... 612-617, 619
    development, relation to natural environment ... 579-583
    epidemics, development, field studies ... 583-595
    in Wisconsin, Studies. P. W. Miller ... 579-621
    organism, dissemination ... 588-595
    transmission by insects ... 588, 592-595, 612, 618, 619
  foliage, temperature studies in Washington ... 633-634, 635
  fruits, susceptibility to fire-blight infection, duration ... 609
  grafts—
    inoculation with strains of *Bacterium tumefaciens*, results ... 433-441, 444, 445-449
    malformation, study of cause ... 427-449
  hairy root, infectious, identification as crown gall ... 747, 750
  juice—
    acidity, factors affecting ... 627-629
    physical constants, effect of picking time of apples ... 627-628
  stock, disinfection against crown gall, results ... 423-433, 449
  tree—
    crown-gall root formation, study ... 748, 750-751, 756, 764
    host of crown-gall organism ... 756
    inoculation with crown gall, apple and peach strains, results ... 250-257
    malformation, pathogenicity tests ... 250-261
    stem-borne roots, formation, cause ... 257-258
    woolly-aphid injury ... 253, 259
  varieties, overwintering of fire-blight organism ... 584-585, 587
Apples—
  alcohol-insoluble, acid-hydrolyzable content, effect of picking time ... 632-633
  color, relation to quality ... 636-637
  composition—
    analytical results ... 624-632, 637-638
    changes during growing season ... 626-632, 636-638
    changes in storage ... 628, 629-631
  firmness, factors affecting ... 739
  growth rate, effect on quality ... 636-637
  Pectic Constituents—
    Changes in Relation to Softening. M. H. Haller ... 739-746
    determination method ... 740-741
  picking time, effect on—
    chemical composition ... 626-627, 630-633
    quality ... 636-637
  Quality—
    and Maturity, Studies. J. L. St. John and O. M. Morris ... 623-639
    relation to growth and exposure ... 633-637
  ripening, effect on pectic constituents ... 739-746
  Softening, Relation to Changes in Pectic Constituents. M. H. Haller ... 739-746
  storage temperature, effect on pectic constituents ... 743-745
  varietal resistance to fire blight ... 579-583, 607-612, 619
  water content, relation to quality of fruit ... 633-634
  water-core distribution, observations ... 634, 637
Arizona, Cotton Root Rot—
  Further Studies with Description of a Sclerotium Stage of the Fungus. C. J. King and H. F. Loomis ... 641-676
  Investigations. C. J. King and H. F. Loomis ... 199-221
Arsenic—
  acid, toxic concentrations, study ... 393-400
  as cumulative poison to foliage, tests ... 395-396
  water-soluble, content of sprays, effect on peach foliage ... 393-398, 400
Arsenicals, toxicity to peach trees, study ... 393-398, 400

Page

Arsenious acid, toxic concentrations, study ... 393-394, 398-399, 400
Artichoke, Jerusalem. *See* Girasole.
Artschwager, Ernst; Brandes, E. W.; and Starrett, Ruth Colvin: Development of Flower and Seed of Some Varieties of Sugarcane ... 1-30
Asclepias syriaca. *See* Milkweed.
Aspergillus niger, inoculation on citrus fruits, experiments ... 164, 178-189, 193-195, 197
Awn—
  class, in wheat, inheritance in cross between Federation and Sevier×Dicklow hybrid ... 368-369, 370-375, 383-384, 387, 391
  length, in wheat, inheritance in cross between Federation and Sevier×Dicklow hybrid ... 368-369, 375-377, 387-392
Awnlessness, in wheat, inheritance in cross between Federation and Sevier×Dicklow hybrid ... 368-369, 370-375, 383-384, 387, 391
Azotobacter vinelandii, growth and nitrogen fixation, comparison with Rhizobia ... 899-900, 906-908, 914-915

Bacillus—
  amylovorus—
    cause of apple fire blight ... 579
    isolation from apple cankers ... 585-587
    migration and parasitism ... 603-607, 618-619
    mode of entry into apple shoots and flowers ... 595-603
    overwintering modes ... 583-587, 618
  macerans, comparison with *Bacterium marginatum* ... 497
Bacteria—
  in sauerkraut—
    activity measure ... 290
    relation to temperature ... 288-290, 292
  Nodule—
    of Leguminous Plants, Fixation of Atmospheric Nitrogen in Absence of Host. F. E. Allison ... 893-924
    See also *Azotobacter vinelandii*; Rhizobia.
Bacterial pustule disease—
  lesion on soybean, description ... 803-804
  of Soybean, Varietal Resistance to. Samuel G. Lehman and James W. Woodside ... 795-805
  of soybeans, control measures ... 795, 805
Bactericides, use in control of apple fire blight, experiments ... 614-617, 619
Bacteriophage—
  Influence on *Bacterium tumefaciens*, and Some Potential Studies of Filtrates. Nellie A. Brown and Agnes J. Quirk ... 503-530
  plaques, occurrence in filtrates of carrot with *Bacterium tumefaciens* ... 518-522, 527, 529
  prophylactic action, experimental results ... 504
Bacterium—
  marginatum, Production of Starchlike Radiate Crystals in Starch Media. Lucia McCulloch ... 495-501
  phaseoli sojense—
    cause of bacterial pustule disease of soybean ... 795
    inoculation on soybean varieties, results ... 796-797, 800-805
    overwintering habits ... 795, 796-805
  tumefaciens—
    apple strain, pathogenicity ... 432-441, 444, 445-449
    apple strain, pathogenicity on other hosts ... 749-750
    apple strain, reactions of various hosts to inoculations ... 756-760
    apple strain, root-producing ability ... 750-755
    apple strain, study ... 250-261
    cause of burrknot or stem tumor of apple, remarks ... 749
    cause of woolly knot on apple trees ... 429-449
    daisy strain, effect of treatment with tumor filtrates ... 515-516
    hop strain, effect of treatment with tumor filtrates ... 510-515, 516-522
    hop strain, root production on other hosts ... 750-765
    host relationships and virulence ... 750-765
    Influence of Bacteriophage on, and Some Potential Studies of Filtrates. Nellie A. Brown and Agnes J. Quirk ... 503-530
Bacterium—Continued. Page
  tumefaciens—Continued.
    inhibited cultures, inoculations on *Ricinus communis* ... 523-525
    inoculation on *Ricinus communis*, effect of filtrates ... 512-522, 526-529
    isolation from galls, study ... 257-261
    peach strain, identity with apple strain ... 430-432, 434, 442-444, 445-446
    tumor filtrates, physicochemical aspects ... 507-510
    tumor production by filtering form ... 525-526
    See also Crown gall.
Balsam, inoculation with *Bacterium tumefaciens*, results ... 749, 756, 761, 762-763
Bananas, freedom from mosaic in Canary Islands and West Africa ... 559, 571
Barley, germination, effects of various fumigants ... 926-927
Bean plants, inoculation with *Bacterium tumefaciens*, results ... 750, 756, 764
Beans—
  germination, effects of various fumigants ... 926-927
  nodule bacteria, growth and nitrogen fixation, experiments ... 901-903, 904, 907, 915
Becker, R. B., and Gallup, Willis D.: Grain Losses in Feeding Corn Silage to Dairy Cows ... 223-227
Beef—
  carcass appraisals, accuracy ... 148-152
  cattle. *See* Cattle, beef.
  marketing—
    carcass-appraisal method ... 147-162
    grading-chart method, comparison with carcass-appraisal method ... 153-155
  prices, live-weight, derivation from dressed-meat prices ... 155-160
Bees, transmission of apple fire blight ... 595
Beetle, flea. *See* Flea-beetle.
Benoy, Marjorie P.—
  The Mineral Content of the Jujube ... 949-951
  The Respiration Factor in the Deterioration of Fresh Vegetables at Room Temperature ... 75-80
Bentgrass—
  creeping, susceptibility to zonate eyespot ... 131
  seaside, susceptibility to zonate eyespot ... 130, 132, 135
  velvet, susceptibility to zonate eyespot ... 130-132, 135
Bermuda grass, host of cotton root-rot fungus ... 643-644, 645, 653
Bikukulla—
  eximia—
    Botanical and Chemical Study, with Key to North American Species of Bikukulla. W. W. Eggleston, O. F. Black, and J. W. Kelly ... 477-481
    description and range ... 477
    toxicity to animals, study ... 477-481
  North American species, Key, with Botanical and Chemical Study of *Bikukulla eximia*. W. W. Eggleston, O. F. Black, and J. W. Kelly ... 477-481
  species—
    alkaloids, comparison ... 480
    range ... 480-481
Bios, effect on nitrogen fixation by nodule bacteria ... 900
Black—
  O. F.; Eggleston, W. W.; and Kelly, J. W.: A Botanical and Chemical Study of *Bikukulla eximia*, with a Key to North American Species of Bikukulla ... 477-481
  W. H.; Lush, J. L.; and Semple, A. T.: The Use of Dressed-Beef Appraisals in Measuring the Market Desirability of Beef Cattle ... 147-162
Bleedingheart, fringed. See *Bikukulla eximia*.
Blight, Fire, of Apple, in Wisconsin, Studies. P. W. Miller ... 579-621
Blossom blight, of apple, relation to fire-blight infection ... 589-608, 614, 617, 618-619
Bordeaux mixture, use in control of apple fire blight, experiments ... 613-614, 619
Botrytis cinerea, inoculation of citrus fruits, experiments ... 164, 185-190, 193-197
Bowman, John J., and Fulton, Harry R.: Infection of Fruit of Citrus by *Pseudomonas citri* ... 403-426

Page

Brandes, E. W.; Starrett, Ruth Colvin; and Artschwager, Ernst: Development of Flower and Seed of Some Varieties of Sugarcane 1-30
Breeding—
corn—
correlation studies of inbred and cross-bred strains 677-721
for protein and oil content, experiments 451-475
oats, transgressive segregation for smut susceptibility 953-962
See also Crossbreeding.
Brown, Nellie A.—
The Tendency of the Crown-Gall Organism to Produce Roots in Conjunction with Tumors 747-766
and Quirk, Agnes J.: Influence of Bacteriophage on *Bacterium tumefaciens*, and Some Potential Studies of Filtrates 503-530
Buckwheat, germination, effects of various fumigants 926-927
Burrknots—
formation in hardwoods 81-82
on apple trees, nature, study 257, 258-259, 261
By-products—
corn. *See* Corn-milling products.
meat. *See* Meat by-products.

Callus, plant, definition 82
Callusing and Rooting in Apple and Willow, A Physiological Study. Charles F. Swingle 81-128
Calves, wart-inoculation studies 725-737
Canary Islands, mosaics, hosts and experimental studies 557-568, 575-577
Cane, sugar. *See* Sugarcane.
Canker, citrus. *See* Citrus canker.
See also *Pseudomonas citri*.
Cans, tin—
corrosion by various forms of sulphur 32-39
swelling from sulphur-spray residue on peaches 31-40
Cantaloupe rot—
causal organism, culture studies 44-59
symptoms and epidemics 42-44
Carbohydrate reserves, in alfalfa roots, protection against cold 272-274
Carbohydrates, effect on nitrogen fixation by nodule bacteria 908, 912-913
Carbon bisulphide, effectiveness in control of cotton root rot, experiments 200, 201
Carcass-appraisal method, in beef marketing—
accuracy 148-152
defects 155
Carrot extract, medium for legume-nodule bacteria in nitrogen fixation 903-904, 906-909
Cassava, host of mosaic in West Africa 569, 570
Castor-bean plant, inoculation with *Bacterium tumefaciens*, results 506-529, 758, 760
Castor-oil plant. *See* Castor-bean plant; *Ricinus communis*.
Cattle—
Beef—
Market Desirability, Measuring by Use of Dressed-Beef Appraisals. Jay L. Lush, W. H. Black, and A. T. Semple 147-162
weights, determination by carcass-appraisal method 149-152
inoculation with wart material, methods and results 725-737
Warts, Common, Etiology, Experimental Studies. G. T. Creech 723-737
Cereals, stomatal behavior, relation to rust resistance 946
Chick, Rhode Island Red, Down-Color Variations, Inheritance and Relation to Color Variations in Adult Plumage. D. C. Warren 781-794
Chickens—
plumage color, relation to down color of chicks 787-794
Rhode Island Red—
color standard and color variations 786-787
eye color, variations, and correlations with plumage color 792-793
sex, relation to plumage color 783, 785, 787, 793

Page

Chicks, down color—
inheritance, study 783-786, 793-794
relation to adult color variations 787-793
Chicory—
and Girasole Grown in Minnesota, Chemical Composition. Hamilton P. Traub, Clifford J. Thor, Lawrence Zeleny, and J. J. Willaman 551-555
chemical composition, study 554-555
Chlorosis—
in corn—
description 873-875
development, effect of lime and magnesium 879-886
effect of fertilizers 883-884
effect on mineral constituents of plant 887-889
effect on yield 884-886
factors affecting development 875-878
Magnesium Deficiency as Cause. J. P. Jones 873-892
similarity to sand drown of tobacco 881-883, 891
in plants—
cause, study with corn 873-891
types 873
Chrysanthemum, hairy roots, cause 761
Cichorium intybus. *See* Chicory.
Citric acid, in peaches, cause of swelling of cans 33-37, 38-39
Citrus—
canker—
development, factors affecting 403-411, 413-419, 425
infection study 403-426
See also *Pseudomonas citri*.
Fruit—
Infection by *Pseudomonas citri*. Harry R. Fulton and John J. Bowman 403-426
inoculation in moist chambers with *Pseudomonas citri* 420-425
inoculation in orchards with *Pseudomonas citri* 420
oil glands, puncturing, effect on inoculation results 403-404
size, relation to development of canker 415-419, 425
Fruits—
Decay Produced by Inoculations with Known Mixtures of Fungi at Different Constant Temperatures, Study. Giulio Savastano and Howard S. Fawcett 163-198
decay rates in inoculation experiments 165-197
discoloration from decay, study 171-172, 174-175, 180, 184, 187, 192, 196, 197
varietal susceptibility to canker 418-419
water loss, effect on rate of decay 167-168
resistance to cotton root-rot fungus 645, 669
susceptibility to canker, discussion 410-411
Clothing, cotton, laundering studies 539-548
Clover—
germination, effects of various fumigants 926-927
nodule bacteria, growth and nitrogen fixation, experiments 901-902, 904-908, 910-912, 915-920
red—
growth and development, effects of moisture 234-241, 243-247
Seed Setting, Influence of Atmospheric and Soil Moisture upon. E. A. Hollowell 229-247
Clow, Bertha; Mariatt, Abby L.; Peterson, W. H.; and Martin, E. A.: The Vitamin-C Content of Fresh Sauerkraut and Sauerkraut Juice 963-971
Cod-liver oil—
effect on ophthalmia and growth in vitamin-A-deficient rats, experiments 769-770
vitamin-D content, comparison with honey 364-365
Color, of apples, relation to quality 636-637
Colorado, flea-beetle injury of potatoes, study 807-814
Core breakdown, in Bartlett pears, factors affecting 487-493
Corn—
characters—
correlation studies with inbred and crossbred strains 677-721
selected, variability, relation to mean 459-475

Corn—Continued Page
chlorosis—
effect on yield ... 884-886
Magnesium Deficiency as Cause. J. P. Jones ... 873-892
chlorotic, description ... 873-875
composition—
changes in silo, and in digestive system of cow ... 225-226
Mean and Variability as Affected by Continuous Selection. Floyd L. Winter ... 451-476
endosperm, source of vitamin A ... 767, 774, 777, 778
germination, effects of various fumigants ... 926-927
host of cotton root rot ... 645, 651, 652, 673
inbred lines—
correlation of characters ... 690-706
prepotency study ... 706-717
kernel, source of vitamin A ... 774, 776-778
losses in manure by dairy cows ... 223-226
Milling Products, Vitamin-A Distribution. Clara Rocke Meyer and Rossleene Arnold Hetler ... 767-780
oil—
content, relation to germless seeds ... 458-459, 475
crude, effect on ophthalmia in rats, experiments ... 772, 774-775
refined, vitamin-A content ... 775
parent-progeny relations in crosses between inbred lines ... 701-706, 718-721
plant—
erectness, inheritance in crosses ... 711, 720
height, inheritance in crosses ... 714-715, 720
mineral constituents, effect of chlorosis ... 887-889
protein and oil content, relative variability ... 465-469
Selection—
Continuous, Effect on Mean and Variability of Composition. Floyd L. Winter ... 451-476
for protein and oil content, experiments ... 451-475
silage—
and shelled, assimilation by dairy cows ... 225-226
consumption by dairy cows ... 225
Feeding to Dairy Cows, Grain Losses. R. B. Becker and Willis D. Gallup ... 223-227
turkey. See *Bikukulla eximia*.
variant characters, distribution ... 470-472
wet-milling process, description ... 768-769
whole yellow, effect on ophthalmia and growth of vitamin-A-deficient rats ... 775-776, 778
yellow—
milling products, recovery ... 767
pigmentation, relation to vitamin-A content ... 776-777, 778
yield—
correlation with other characters in inbred and crossbred strains ... 677, 686-688, 698-710, 718-721
effect of phosphorus and potash ... 878-879
See also Maize.
Corrosion, of tin cans—
electrochemical nature, study ... 35-36
relation to polarity of iron and tin ... 38-39
Corticum vagum, on potatoes, relation to flea-beetle injury ... 811-814
Cotton—
Fabrics, Artificial Soiling Preparatory to Laundering Studies. A. Elizabeth Hill ... 539-550
plants, inoculation with root-rot fungus, experiments ... 218-220
root rot—
control by barrier methods ... 647-650
control by clean fallowing ... 651-652
control experiments in Arizona ... 647-652, 673
dissemination, observations ... 670-673
fungus, conidial mats, growth and development ... 211-215, 221
fungus, depth of activity ... 645-647
fungus, growth on dead roots ... 216, 221
fungus, host relationships ... 643-647
fungus, selective feeding on different plant species ... 644-645
in Arizona, Further Studies, with a Description of a Sclerotium Stage of the Fungus. C. J. King and H. F. Loomis ... 641-676
infection, variation with soil and climate ... 210

Cotton—Continued. Page
root rot—continued.
Investigations in Arizona. C. J. King and H. F. Loomis ... 199-221
resistance to drought ... 212
spread through soil ... 207-208, 211-215, 220
See also *Phymatotrichum omnivorum*.
wilt, effect on development of cantaloupe rot ... 48-49, 51-59
Cowpeas, germination, effects of various fumigants ... 926-927
Cows, Dairy, Feeding Corn Silage, Grain Losses. R.B.Becker and Willis D.Gallup ... 223-227
Crab-apple seedlings, inoculation with *Bacterium tumefaciens* ... 430-432
Craigie, J. H., and Weston, William H., jr.: Observations on Tassels of Teosinte Malformed by Sclerospora ... 817-836
Creech, G. T.: Experimental Studies of the Etiology of Common Warts in Cattle ... 723-737
Cresylic acid, effectiveness in control of cotton root rot, experiments ... 200, 201, 220
Cross-pollination, in red clover, experimental method ... 232
Crossbreeding—
corn, effect on correlation of characters ... 677-690, 718-721
See also Breeding.
Crown Gall—
Aerial, of Apple—
E. A. Siegler and R. B. Piper ... 249-262
causal organism ... 249, 250, 257, 261
pathogenicity tests ... 250-261
Organism, Tendency to Produce Roots in Conjunction with Tumors. Nellie A. Brown ... 747-766
peach strains, inoculation on apple ... 250-253, 261
root and tumor formation, study ... 747-765
Woolly-Knot Type—
E. A. Siegler ... 427-450
of apple, cause, study ... 430-445, 449
See also *Bacterium tumefaciens*.
Crystals, Starchlike Radiate, Produced by *Bacterium marginatum* in Starch Media. Lucia McCulloch ... 495-501
Cucurbits, hosts of mosaic in West Africa ... 570-571
Culm length, in wheat, inheritance in cross between Federation and Sevier×Dicklow hybrid ... 368-369, 377-378, 385-388, 391-392
Culpepper, C. W., and Moon, H. H.: Sulphur-Spray Residues and the Swelling of Tin Cans Packed with Peaches ... 31-40
Cuttings, rooting and callusing, environmental conditions ... 82-83

Dairy cows. *See* Cows, dairy.
Daisy, inoculation with *Bacterium tumefaciens*, results ... 750, 752-754, 756, 757, 760
Date—
mineral content, comparison with jujube ... 951
palm, host of cotton root-rot fungus ... 643-644, 645, 653, 672

Decay, Citrus Fruits, Produced by Inoculations with Known Mixtures of Fungi at Different Constant Temperatures, Study. Giulio Savastano and Howard S. Fawcett ... 163-198
Diplodia natalensis, inoculation in citrus fruits, experiments ... 191-195, 196
Dirt, removal from cotton fabrics, experiments ... 542-548
Disinfection, soil, effectiveness in control of cotton root rot ... 199-201, 220
Doran, William L.: Effects of Soil Temperature and Reaction on Growth of Tobacco Infected and Uninfected with Black Root Rot ... 853-872
Down-Color Variations, Inheritance in Rhode Island Red Chicks, and Relation to Color Variations in Adult Plumage. D. C. Warren ... 781-794
Drechsler, Charles: Occurrence of the Zonate-Eyespot Fungus *Helminthosporium giganteum* on Some Additional Grasses ... 129-135
Dressed-Beef Appraisals, Use in Measuring Market Desirability of Beef Cattle. Jay L. Lush, W. H. Black, and A. T. Semple ... 147-162
Drought hardiness of—
tree seedlings, means of securing ... 137
western yellow pine, regulation by method of fertilization ... 137-145
Dry farming, potatoes, spread of virus diseases ... 63, 64, 71-72

Page

Ear—
moldiness, in corn, inheritance in crosses between inbred lines ... 715, 720
shape index, in corn, inheritance in crosses between inbred lines ... 716–717, 720
Egg albumen, effect on nitrogen fixation by nodule bacteria ... 912
Eggleston, W. W.; Black, O. F.; and Kelly, J. W.: A Botanical and Chemical Study of *Bikukulla eximia*, with a Key to North American Species of Bikukulla ... 477–481
Eggplant, hosts of mosaic in Canary Islands and West Africa ... 569, 571
Emmer, stomatal behavior, relation to stem-rust resistance ... 932, 933, 935, 936, 939, 945, 946–947
Environment, effect on development of black root rot of tobacco ... 853–871
Epitrix cucumeris, injury to potato tubers, study ... 807–814
Eragrostis caroliniana, host of *Helminthosporium giganteum* ... 132
Ethylene oxide, effect on germination of seeds ... 925–927
Euchlaena spp. *See* Teosinte.
Eyespot, Zonate, Fungus, *Helminthosporium giganteum*, Occurrence on Some Additional Grasses: Charles Drechsler ... 129–135

Fabrics, Cotton, Artificial Soiling Preparatory to Laundering Studies. A. Elizabeth Hill ... 539–550
Fallows, clean, experiments in control of cotton root rot ... 651–652, 673
Fawcett, Howard S., and Savastano, Giulio: A Study of Decay in Citrus Fruits Produced by Inoculations with Known Mixtures of Fungi at Different Constant Temperatures ... 163–198
Feeding, Corn Silage to Dairy Cows, Grain Losses. R. B. Becker and Willis D. Gallup ... 223–227
Feeds, assimilation by dairy cows, experiments ... 223–226
Fermentation, Sauerkraut, Temperature, Relation to Quality. E. A. Marten, W. H. Peterson, E. B. Fred, and W. E. Vaughn ... 285–292
Fertilization—
method, effect on root systems of western yellow pine ... 137–145
red clover, effects of atmospheric humidity ... 229–234, 244–247
Fertilizers, effect on development of chlorosis—
in corn ... 883–884, 885–886, 889–891
in plants ... 875–876
Festuca hookeriana, host of *Helminthosporium giganteum* ... 132–133, 135
Fig, host of cotton root rot, experiments ... 646–647
Fire Blight, of Apple—
in Wisconsin, Studies. P. W. Miller ... 579–621
See also Apple fire blight.
Flea-Beetle Injury of Potato Tubers, A Pathological Feature of. H. G. MacMillan and L. A. Schaal ... 807–815
Flower—
and Seed, Development in Sugarcane. Ernst Artschwager, E. W. Brandes, and Ruth Colvin Starrett ... 1–30
sugarcane—
anthesis and pollination ... 20
structure and development ... 9–12
Flowering, study in sugarcane varieties ... 3–21
Flowers, red clover, production and development, effects of soil moisture ... 236–241
Foliage injury, relation to composition of acid lead arsenate, experimental study ... 393–400
Formaldehyde—
effectiveness in control of cotton root rot, experiments ... 199, 201, 220
soil disinfectant, effect on growth of tobacco ... 866–871
Fred, E. B.; Vaughn, W. E.; Marten, E. A.; and Peterson, W. H.: Relation of Temperature of Fermentation to Quality of Sauerkraut ... 285–292
Freezing point of alfalfa, determination ... 264–268, 277–280, 281–282

Page

Fructose, content of—
chicory roots ... 554, 555
girasole plant ... 552–553, 555
Fruits, citrus. *See* Citrus fruit; citrus fruits.
Fulton, Harry R., and Bowman, John J.: Infection of Fruit of Citrus by *Pseudomonas citri* ... 403–426
Fumigants, Various, Effect on Germination of Seeds. H. D. Young ... 925–927
Fungi—
dissociation, significance ... 305
Inoculations—
in Known Mixtures at Different Temperatures, Cause of Decay in Citrus Fruits, Study. Giulio Savastano and Howard S. Fawcett ... 163–198
of citrus fruits, temperature relations ... 178–179, 180–184, 185–186, 187–195
mutation factors, discussion ... 293, 305
soil-inhabiting, metabolic interchange ... 41–59
taxonomy, criterion, discussion ... 304–305
Fusarium—
oxysporum var. *medicaginis*, Additional Hosts. J. L. Weimer ... 351–353
vasinfectum—
culture studies ... 48–49, 51–59
metabolic interchange with *Sclerotium rolfsii* ... 51–57, 59

Galls—
aerial. *See* Crown gall, aerial.
crown. *See* Crown gall.
woolly aphid, of apple, comparison with crown gall ... 253, 259
Gallup, Willis D., and Becker, R. B.: Grain Losses in Feeding Corn Silage to Dairy Cows ... 223–227
Gama grass, susceptibility to zonate eyespot ... 135
Garber, R. J.; Giddings, N. J.; and Hoover, M. M.: Transgressive Segregation for Susceptibility to Smut in an Oat Cross ... 953–962
Geer, Herbert L., and Leonian, Leon H.: Comparative Value of the Size of Phytophthora Sporangia Obtained under Standard Conditions ... 293–311
Geranium, inoculation with *Bacterium tumefaciens*, results ... 749, 758, 761, 765
Gerhardt, Fisk: Propagation and Food Translocation in the Common Milkweed ... 837–851
Germination, Seeds, Effect of Various Fumigants: H. D. Young ... 925–927
Gibraltar, mosaic on *Nicotiana glauca*, description ... 575
Giddings, N. J.; Hoover, M. M.; and Garber, R. J.: Transgressive Segregation for Susceptibility to Smut in an Oat Cross ... 953–962
Girasole—
and Chicory Grown in Minnesota, Chemical Composition. Hamilton P. Traub, Clifford J. Thor, Lawrence Zeleny, and J. J. Willaman ... 551–555
plant, chemical composition of parts ... 552–553, 555
Glume color, in wheat, inheritance in cross between Federation and Sevier×Dicklow hybrid ... 368–370, 391
Gluten, corn, effect on ophthalmia and growth in vitamin-A-deficient rats ... 772–774, 778
Goss, R. W.: The Rate of Spread of Potato Virus Diseases in Western Nebraska ... 63–74
Grading-chart method, in beef marketing, comparison with carcass-appraisal method ... 153–155
Grain—
germination, effects of various fumigants ... 925–927
Losses in Feeding Corn Silage to Dairy Cows. R. B. Becker and Willis D. Gallup ... 223–227
Grains, stomatal behavior, relation to rust resistance ... 946
Gramineae, tassels, malformation by Sclerospora, study in teosinte ... 817–833
Grapefruit, infection with *Pseudomonas citri*, study ... 403–406, 412–415, 417–419, 422–424
Grass, bent. *See* Bentgrass.
Grasses—
hosts of cotton root-rot fungus ... 643–644, 645, 653
inflorescences, malformation by downy mildew, study in teosinte ... 817–833

Grasses—Continued. Page
Occurrence of Zonate-Eyespot Fungus *Helminthosporium giganteum* on. Charles Drechsler 129-135
Grasshoppers, transmission of spindle tuber of potato 71, 72, 74
Guinea pigs—
scurvy, prevention by feeding sauerkraut, experiments 963-970
weight records and survivals on honey as source of vitamin C 362-364

Hairy root. *See* Crown gall.
Haller, M. H.: Changes in the Pectic Constituents of Apples in Relation to Softening 739-746
Hardwood cuttings, rooting and callusing, physiological study 81-127
Harley, C. P.: Relation of Picking Time to Acetaldehyde Content and Core Breakdown of Bartlett Pears 483-493
Hart, Helen: Relation of Stomatal Behavior to Stem-Rust Resistance in Wheat 929-948
Helianthus tuberosus. *See* Girasole.
Helminthosporium giganteum—
cause of zonate eyespot on grasses 129
pathological effects on various grasses 130-135
Zonate Eyespot Fungus, Occurrence on Some Additional Grasses. Charles Drechsler 129-135
Heredity. *See* Inheritance.
Hetler, Rossleene Arnold, and Meyer, Clara Rocke: The Distribution of Vitamin A in Some Corn-Milling Products 767-780
Heywood, D. E., and Stewart, George: Correlated Inheritance in a Wheat Cross between Federation and a Hybrid of Sevier×Dicklow 367-392
Hides, cattle, damage by warts 723
Hill, A. Elizabeth: Artificial Soiling of Cotton Fabrics Preparatory to Laundering Studies 539-550
Hoagland, Ralph, and Snider, George G.: Nutritive Value of Proteins in Certain Kinds of Sausage and Other Meat Food Products 531-537
Hollowell, E. A.: Influence of Atmospheric and Soil Moisture upon Seed Setting in Red Clover 229-247
Honey—
and Honeycomb, Vitamin Content. Hilda Black Kifer and Hazel E. Munsell 355-366
antirachitic value, tests 364-365
antiscorbutic value, tests 362-364
Honeycomb, vitamin content, study 355-366
Hoover, M. M.; Garber, R. J.; and Giddings, N. J.: Transgressive Segregation for Susceptibility to Smut in an Oat Cross 953-962
Humidity—
atmospheric, high, determination method 231-232
variation with temperature in fruit decay 166-167
See also Moisture.
Hurd-Karrer, Annie M.: Relation of Leaf Acidity to Vigor in Wheat Grown at Different Temperatures 341-350
Hydrogen—
gas, liberation from iron and tin 33, 35
sulphide, corrosive action on tin cans 34-35, 37, 39, 40
Hydrogen-ion concentration—
effect on growth of *Sclerotium rolfsii* 44-52, 58-59
of wheat leaf juice, variation with temperature 344-347, 349

Impatiens balsamina, inoculation with *Bacterium tumefaciens*, results 749, 756, 761, 762-763
Inbreeding, corn, effect on correlation of characters 677-690, 718-721
Inflorescence—
in sugarcane, study 3-21
of teosinte, malformation of downy mildew, study 817-833
Inheritance—
corn characters, studies with inbred and crossbred strains 677-721

Inheritance—Continued. Page
Correlated, in Wheat Cross between Federation and Hybrid of Sevier×Dicklow. George Stewart and D. E. Heywood 367-392
down color in chicks, study 783-786, 793-794
smut susceptibility and seed color in oats 953-962
wheat characters, experimental study 367-392
Inoculation—
apple—
blossoms and shoots, with *Bacillus amylovorus* 593, 595-603
trees, with crown gall, experiments 250-257
trees, with strains of *Bacterium tumefaciens* 430-440, 443, 447-449
citrus fruit, with *Pseudomonas citri*, methods and results 403-426
cotton plants, with cotton root-rot fungus 218-220
plants, with mosaic virus from *Nicotiana glauca* 560-568, 575-577
soybean varieties with *Bacterium phaseoli sojense*, results 796-797, 800-805
wheat—
seedlings, with *Puccinia graminis tritici* 941-943
with loose-smut fungus, methods 320-322
Inoculations—
cattle, with wart material, methods and results 725-737
Fungi, in Known Mixtures at Different Constant Temperatures, Cause of Decay in Citrus Fruits, Study. Giulio Savastano and Howard S. Fawcett 163-198
Insects—
poisoning by arsenicals at low solubility 399-400
transmission of—
fire blight 588, 592-595, 612, 618, 619
potato virus diseases 67, 71-74
Iron, polarity with tin, effect of oxygen and sulphur 36-38
Irrigation, potatoes, spread of virus diseases 63, 64-71
Izophorus unisetus, host of *Helminthosporium giganteum* 133, 135

Jenkins, Merle T.: Correlation Studies with Inbred and Crossbred Strains of Maize 677-721
Jerusalem artichoke. *See* Girasole.
Johnson grass, host of cotton root-rot fungus 643-644, 645, 653
Jones, J. P.: Deficiency of Magnesium the Cause of a Chlorosis in Corn 873-892
Jujube, Mineral Content. Marjorie P. Benoy 949-951

Karrer, Annie M. Hurd. *See* Hurd-Karrer.
Kelly, J. W.; Eggleston, W. W.; and Black, O. F.: A Botanical and Chemical Study of *Bikukulla eximia*, with a Key to North American Species of Bikukulla 477-481
Kernel rows, in corn, inheritance in crosses between inbred lines 717
Kifer, Hilda Black, and Munsell, Hazel E.: Vitamin Content of Honey and Honeycomb 355-366
King, C. J., and Loomis, H. F.—
Cotton Root-Rot Investigations in Arizona 199-221
Further Studies of Cotton Root Rot in Arizona, with a Description of a Sclerotium Stage of the Fungus 641-676

Laundering Studies, Artificial Soiling of Cotton Fabrics Preparatory to. A. Elizabeth Hill 539-550
Lead Arsenate—
Acid—
Commercial, Composition and Relation to Arsenical Injury. H. S. Swingle 393-401
commercial, contents 393
insecticidal use, effect on peach foliage 393-398, 400
toxicity, variation with soluble arsenic content 395-400
soluble arsenic content, effect on toxicity to insects 399-400

Page

Leaf roll, potato, spread in western Nebraska 63, 64-69, 71, 72, 73, 74
Legumes, nodule bacteria of, nitrogen fixation in absence of host 893-922
Lehman, Samuel G., and Woodside, James W.: Varietal Resistance of Soybean to the Bacterial Pustule Disease 795-805
Lemons—
color, relation to decay 171-172, 174-175, 196, 197
decay from inoculation with mixed fungi, studies 167-197
infection with *Pseudomonas citri*, study 404-406, 412-415, 417, 418-419, 422, 424
water loss, effect on rate of decay 167-168
Lenticel callus, formation, cause 121-122
Leonian, Leon H., and Geer, Herbert L.: Comparative Value of the Size of Phytophthora Sporangia Obtained under Standard Conditions 293-311
Light—
artificial, effect on stomatal behavior of wheat 938
factor in cold resistance of alfalfa roots 274
Lime—
effect on tobacco strains resistant and susceptible to black root rot 862-871
in soil, relation to chlorosis in corn 879-886
Limes, inoculation with *Pseudomonas citri*, study 405, 412, 415, 418-419, 422-424
Loomis, H. F., and King, C. J.—
Cotton Root-Rot Investigations in Arizona 199-221
Further Studies of Cotton Root Rot in Arizona, with a Description of a Sclerotium Stage of the Fungus 641-676
Loose smut—
in wheat—
annual losses from 313, 336
causal organism 313, 315
control difficulty 316
control methods 316-318
infection studies 318-320
resistance and susceptibility of varieties 320-333, 337
Occurrence in Wheat, Influence of Varietal Resistance, Sap Acidity, and Certain Environmental Factors. Victor F. Tapke 313-339
Lush, Jay L.; Black, W. H.; and Semple, A. T.: The Use of Dressed-Beef Appraisals in Measuring the Market Desirability of Beef Cattle 147-162

McCulloch, Lucia: Starchlike Radiate Crystals Produced by *Bacterium marginatum* in Starch Media 495-501
McKinney, H. H.: Mosaic Diseases in the Canary Islands, West Africa, and Gibraltar 557-578
MacMillan, H. G., and Schaal, L. A.: A Pathological Feature of Flea-Beetle Injury of Potato Tubers 807-815
Magnesium, Deficiency, Cause of a Chlorosis in Corn. J. P. Jones 873-892
Maize—
Inbred and Crossbred Strains, Correlation Studies. Merle T. Jenkins 677-721
tassels, malformation from downy mildew, comparison with teosinte, discussion 829-833
See also Corn.
Manure, cow's, content of corn from silage 225-226
Manures, organic, effectiveness in control of cotton root rot 203-206, 220
Marketing, beef cattle, aid of dressed-beef appraisals 147-162
Marlatt, Abby L.; Peterson, W. H.; Martin, E. A.; and Clow, Bertha: The Vitamin-C Content of Fresh Sauerkraut and Sauerkraut Juice 963-971
Marten, E. A.; Peterson, W. H.; Fred, E. B.; and Vaughn, W. E.: Relation of Temperature of Fermentation to Quality of Sauerkraut 285-292
Martin, E. A.; Clow, Bertha; Marlatt, Abby L.; and Peterson, W. H.: The Vitamin-C Content of Fresh Sauerkraut and Sauerkraut Juice 963-971

Page

Mean and Variability as Affected by Continuous Selection for Composition in Corn. Floyd L. Winter 451-476
"Meat by-products"—
definition of term 531
preparation, description 532-533
proteins in, nutritive value, feeding tests 533-536
Metabolic interchange, between soil fungi, study 41-59
Methyl chloroacetate, effect on germination of seeds 926-927
Meyer, Clara Rocke, and Hetler, Rossleene Arnold: The Distribution of Vitamin A in Some Corn-Milling Products 767-780
Mildew, downy, observations on tassels of teosinte 817-833
Milkweed—
commercial use, possibilities 837
Common, Propagation and Food Translocation in. Fisk Gerhardt 837-851
latex, composition 846-848, 849
leaves and stems, composition, percentage 843-845
plant—
chemical analyses, methods 842-843
food translocation in 842-849
propagation by seed, study 838-841
roots, chemical composition, percentage 845-846
seed, germination, effect of treatment and storage 840-841
vegetative propagation, experiments 841-842
Miller, P. W.: Studies of Fire Blight of Apple in Wisconsin 579-621
Minnesota, girasole and chicory studies 551-555
Moisture—
Atmospheric and Soil, Influence upon Seed Setting in Red Clover. E. A. Hollowell 229-247
effect on—
rooting and callusing of apple cuttings 86, 89-109
rooting and callusing of willow cuttings 86, 114-126, 127
stem-rust infection of wheat 935-936, 939-940, 941-942, 943, 944
stomatal behavior of wheat 938-940
toxicity of arsenic to peach foliage 395-400
soil, effect on—
freezing of alfalfa 276-277
growth of red-clover plants 234-238
seed setting in red clover 229-243, 245-247
See also Humidity.
Moon, H. H., and Culpepper, C. W.: Sulphur-Spray Residues and the Swelling of Tin Cans Packed with Peaches 31-40
Morris, O. M., and St. John, J. L.: Studies of Quality and Maturity of Apples 623-639
Mosaic—
Diseases in Canary Islands, West Africa, and Gibraltar. H. H. McKinney 557-578
green—
hosts in Canary Islands, West Africa, and Gibraltar 557-561, 570-571, 577
symptoms on tobacco 561, 565
mild, of potatoes, spread in western Nebraska 63, 64-68, 69, 71, 72-73
rugose, of potatoes, spread in western Nebraska 63, 64-68, 69-70, 71, 72, 73
yellow—
distinction from green mosaic 563
hosts in Canary Islands, West Africa, and Gibraltar 561, 563, 570-571, 576, 577
Mosaics, green and yellow, associations, study 562-567, 575-577
Munsell, Hazel E., and Kifer, Hilda Black: Vitamin Content of Honey and Honeycomb 355-366

Nasturtium, inoculation with *Bacterium tumefaciens*, results 759, 761
Nebraska, Western, Potato Virus Diseases, Rate of Spread. R. W. Goss 63-74
Neck thickness, in wheat, inheritance in cross between Federation and Sevier×Dicklow hybrid 368-369, 385-392
Nicotiana glauca, mosaics from Canary Islands, West Africa, and Gibraltar, study 557, 558, 560-568, 575-577

Nitrogen— Page
Atmospheric, Fixation by Nodule Bacteria of Leguminous Plants in Absence of Host. F. E. Allison ... 893-924
fixation, studies—
on nitrogen-free media ... 899-900
on radicicola solution ... 901-903
with various strains of nodule bacteria ... 900-922
Nodule bacteria. *See* Bacteria, nodule.
Nursery stock, root growth, regulation by method of fertilization ... 137-145
Nutrition, values of protein in sausage, beef, and pork ... 531-537

Oat cross—
Gopher×Black Mesdag, smut susceptibility, transgressive segregation for ... 953-962
Transgressive Segregation for Susceptibility to Smut. R. J. Garber, N. J. Giddings, and M. M. Hoover ... 953-962
Oats—
breeding, transgressive segregation for smut susceptibility ... 953-962
germination, effects of various fumigants ... 926-927
Oil—
content of corn—
selection for, experiments ... 451-475
variability, effect of selection ... 452-453, 460, 461-462, 463-467, 469
glands, citrus fruit, puncturing, effect on inoculation results ... 403-404
Oils, soiling of cotton fabrics, study ... 539-543, 546, 548
Oospora citri-aurantii, inoculation of citrus fruits, experiments ... 164, 180-184, 186-190, 193-197
Ophthalmia, in rats, effects of vitamin-A deficiency in corn-milling products ... 769-777, 778
Oranges—
decay from inoculation with mixed fungi, studies ... 164-167, 174-192, 194-195
infection with *Pseudomonas citri*, study ... 404-424
Oxygen—
effect on polarity of iron and tin ... 36-37
supply, effect on—
rooting and callusing of apple cuttings ... 85-109
rooting and callusing of willow cuttings ... 109-126, 127

Peach—
foliage—
absorption of arsenic acid ... 395-396
injury from commercial acid lead arsenate, study ... 393-400
host of cotton root-rot fungus ... 645, 646
Peaches—
acid concentration ... 33
canned, swelling of cans, cause, study ... 31-40
sprayed and unsprayed, canning experiments ... 31-40
washing for removal of spray residue ... 32, 39
Peanut plants, mosaiclike disease, study ... 574-575, 577

Pear—
breakdown, relation to—
acetaldehyde content ... 487-491
maturity ... 487
scald, cause, discussion ... 487, 488, 490-491
Pears—
aldehyde loss in browned tissues ... 491
Bartlett—
acetaldehyde content, relation to breakdown ... 487-491
acetaldehyde content, relation to picking time ... 483-486
Picking Time, Relation to Acetaldehyde Content and Core Breakdown. C. P. Harley ... 483-493
respiration, discussion ... 491-492
ripening, effect on respiration ... 491-492
Peas—
garden, hosts of alfalfa wilt ... 352, 353
nodule bacteria, growth and nitrogen fixation, experiments ... 907, 914, 915, 919-920
Pectic—
Constituents of Apples, Changes in Relation to Softening. H. M. Haller ... 739-746
substances in apples, determination methods ... 740-741

Penicillium— Page
digitatum, effect on viability of *Pseudomonas citri* ... 415
spp., inoculation of citrus fruits, experiments ... 164-166, 167-169, 170-190, 193-197
Pennisetum ciliare, host of *Helminthosporium giganteum* ... 133-134, 135
Peppers, hosts of mosaic in Canary Islands and West Africa ... 559, 569-570, 571
Peregrinus maidis, vector for streak disease, remarks ... 573
Peterson, W. H.—
Fred, E. B.; Vaughn, W. E.; and Marten, E. A.: Relation of Temperature of Fermentation to Quality of Sauerkraut ... 285-292
Martin, E. A.; Clow, Bertha; and Marlatt, Abby L.: The Vitamin-C Content of Fresh Sauerkraut and Sauerkraut Juice ... 963-971
Phalaris spp., hosts of *Helminthosporium giganteum* ... 134, 135
Phymatotrichum omnivorum—
artificial cultures, preparation ... 215-217
facultative parasitism, establishment ... 642-643
host relationships ... 643-647
inhibition by other organisms ... 669
inoculation on cotton plants, experiments ... 218-220
mycelial strands, growth measurement ... 664-668
mycelium, growth, effects of various plant tissues and fluids ... 669, 675
saprophytic nature and communicability, study ... 641-675
sclerotia, true, production in culture ... 655-664, 674
See also Cotton root rot.
Phytophthora—
Sporangia, Obtained under Standard Conditions, Comparative Value. Leon H. Leonian and Herbert L. Geer ... 293-311
spp.—
classification by sporangial measurements ... 293, 294-304, 308-309
sporangial measurements, discussion ... 306-308
taxonomy, needs and recommendations ... 293-309
Pigmentation, yellow, in corn, relation to vitamin-A content ... 776-777, 778
Pine, western yellow—
dimensions, effect of fertilization method ... 141
root frequency at different depths, effect of fertilization ... 141, 143
Root Systems, Modification by Fertilizing the Soil at Different Depths in the Nursery. W. G. Wahlenberg ... 137-146
survival, effect of modified root systems ... 144-145
Pinus ponderosa. *See* Pine, western yellow.
Piper, R. B., and Siegler, E. A.: Aerial Crown Gall of the Apple ... 249-262
Pistache, host of cotton root rot, experiments ... 647
Plant—
erectness, in corn, inheritance in crosses between inbred lines ... 711, 720
height, in corn, inheritance in crosses between inbred lines ... 714-715, 720
pathogenes, soil-inhabiting, metabolic interchange, study ... 41-59
Plumage, of chickens, color inheritance, study ... 781-794
Pollen, germination in red clover, effects of moisture ... 230, 245, 247
Pollination in—
apple blossoms, influence on susceptibility to fireblight infection ... 607-608, 619
red clover, effects of moisture ... 230-234, 240-247
Potato—
leaf roll, spread in western Nebraska ... 63, 64-69, 71, 72, 73, 74
mosaic, spread in western Nebraska ... 63-73
scab, relation to flea-beetle injury ... 810-814
spindle tuber, spread in western Nebraska ... 63, 64-68, 70-74
Tubers, Flea-Beetle Injury, A Pathological Feature. H. G. MacMillan and L. A. Schaal ... 807-815
Virus Diseases, Spread Rate in Western Nebraska. R. W. Goss ... 63-74

Page

Potatoes—
flea-beetle injury, experimental field conditions 807–810
losses from flea-beetle injury in Colorado 807
Rhizoctonia infection, relation to flea-beetle injury 811–814
worm-track areas, source of disease infection, experimental study 810–814
Poultry. *See* Chickens; Chicks.
Prices—
dressed-beef, translation into live-weight prices 155–156
live-meat, comparison with dressed-beef prices 158–160, 162
Protein content of corn—
selection for, experiments 451–475
variability, effect of selection 452, 459, 461, 463, 464–468
Proteins—
in beef and pork, nutritive value, comparison with sausage and other meat products 533–537
in Certain Kinds of Sausage and Other Meat Food Products, Nutritive Value. Ralph Hoagland and George G. Snider 531–537
Pseudomonas—
citri—
Infection of Citrus Fruit. Harry R. Fulton and John J. Bowman 403–426
inoculation on citrus fruit, methods and results 403–426
multiplication in fruit lesions, estimation 407–414
viability in old cankers 414–415
tumefaciens. See *Bacterium tumefaciens*.
Pseudosclerotia, development in *Phymatotrichum omnivorum* cultures 653–655, 674
Puccinia graminis tritici. *See* Wheat stem rust.
Pustule disease, bacterial. *See* Bacterial pustule disease.

Quirk, Agnes J., and Brown, Nellie A.: Influence of Bacteriophage on *Bacterium tumefaciens*, and Some Potential Studies of Filtrates 503–530

Radicicola solution, use in nitrogen fixation experiments 901–903
Rain, dissemination of apple fire blight 588–594, 618
Rainfall—
effect on quality of apples 632–633, 636
relation to sand drown of tobacco 882–883, 891
Raisin, mineral content, comparison with jujube 951
Rats, weight records on honey as source of vitamins A, B, and D 358–361
Respiration, vegetables, factor in deterioration at room temperature 75–80
Rhizobia, growth and nitrogen fixation, experiments 898–922
Rhizoctonia infection, of potatoes, relation to flea-beetle injury 811–814
Rice weevils, in wheat, destruction by various fumigants 925–926, 927
Ricinus communis, inoculation with *Bacterium tumefaciens* strains 506–529, 758, 760
Ripening, apples, relation to changes in pectic constituents 739–746
Root—
primordia, formation in hardwoods 81
rot—
black, of tobacco, development, effects of soil temperature and soil reaction 853–871
Cotton, Investigations in Arizona. C. J. King and H. F. Loomis 199–221
cotton. *See also* Cotton root rot.
systems—
modified, effect on survival of western yellow pine 144–145
of Western Yellow Pine, Modification by Fertilizing the Soil at Different Depths in the Nursery. W. G. Wahlenberg 137–146
tubercle bacteria. *See* Bacteria, nodule.
Rooting and Callusing in Apple and Willow, A Physiological Study. Charles F. Swingle 81, 128
Rose, inoculation with *Bacterium tumefaciens*, results 758, 764

Page

Rosen, H. R., and Shaw, Luther: Studies on *Sclerotium rolfsii*, with Special Reference to the Metabolic Interchange between Soil Inhabitants 41–61
Rosette disease, of peanuts, destructiveness in Africa 509
Rotation, crops, effect on cotton root-rot infection 208
Rubber, presence in milkweed plant 844, 848, 849
Rubbertree, latex, composition, comparison with milkweed 848, 849
Rust, stem, of wheat. *See* Wheat stem rust.
Rye, germination, effects of various fumigants 926–927

Saccharum spp.—
key 2
See also Sugarcane.
St. John, J. L., and Morris, O. M.: Studies of Quality and Maturity of Apples 623–639
Salix alba, cuttings, rooting and callusing, physiological study 81–88, 109–126, 127
Sand drown, of tobacco—
cause and prevention 877–878, 881–883
relation to rainfall 882–883, 891
similarity to chlorosis in corn 881–883, 891
Sauerkraut—
antiscorbutic effect, experiments with guinea pigs 965–970
Fermentation Temperature, Relation to Quality. E. A. Marten, W. H. Peterson, E. B. Fred, and W. E. Vaughn 285–292
Fresh, and Sauerkraut Juice, Vitamin-C Content. Bertha Clow, Abby L. Marlatt, W. H. Peterson, and E. A. Martin 963–971
Juice—
and Fresh Sauerkraut, Vitamin-C Content. Bertha Clow, Abby L. Marlatt, W. H. Peterson, and E. A. Martin 963–971
feeding to guinea pigs, experiments 964–970
Quality, Relation to Temperature of Fermentation. E. A. Marten, W. H. Peterson, E. B. Fred, and W. E. Vaughn 285–292
vitamin-C value for guinea pigs, experimental results 964–970
Sausage—
Certain Kinds, and Other Meat Food Products, Nutritive Value of Proteins in. Ralph Hoagland and George G. Snider 531–537
manufacture, description 532
proteins in, nutritive value, feeding tests 533–536
Savastano, Giulio, and Fawcett, Howard S.: A Study of Decay in Citrus Fruits Produced by Inoculations with Known Mixtures of Fungi at Different Constant Temperatures 163–198
Scab, potato, relation to flea-beetle injury 810–814
Schaal, L. A., and MacMillan, H. G.: A Pathological Feature of Flea-Beetle Injury of Potato Tubers 807–815
Schedonorus hookerianus. See *Festuca hookeriana*.
Sclerospora—
Malformation of Tassels of Teosinte, Observations. William H. Weston, jr., and J. H. Craigie 817–836
philippinensis. *See* Mildew, downy.
Sclerotia, true, development in *Phymatotrichum omnivorum* cultures 655–664, 674
Sclerotinia libertiana, inoculation of citrus fruits, study 164, 189–195
Sclerotium—
rolfsii—
culture studies 44–59
growth at different H-ion concentrations 44–52, 58–59
host plants 42, 44
morphological response in mixed acid and alkaline cultures 54–57, 59
Studies with Special Reference to the Metabolic Interchange between Soil Inhabitants. H. R. Rosen and Luther Shaw 41–61
rot, of cantaloupes, symptoms and spread 42–44

Page

Scurvy ration, feeding to guinea pigs, experiments and results 964-970
Seed—
coat, structure in sugarcane 23-27
color, in oats, linkage with smut susceptibility 954-962
Setting, in Red Clover, Influence of Atmospheric and Soil Moisture upon. E. A. Hollowell 229-247
sugarcane—
development 22-23
structure 23-27
Seeds, Germination, Effect of Various Fumigants. H. D. Young 925-927
Selection, effectiveness in cross-fertilized crops, explanation 451
Semple, A. T.; Lush, Jay L.; and Black, W. H.: The Use of Dressed-Beef Appraisals in Measuring the Market Desirability of Beef Cattle 147-162
Sex, of chicks, relation to down-color variation 783-786, 787, 793
Shade, effect on quality of apples 634-636, 638
Shaw, Luther, and Rosen, H. R.: Studies on *Sclerotium rolfsii*, with Special Reference to the Metabolic Interchange between Soil Inhabitants 41-61
Siegler, E. A.—
The Woolly-Knot Type of Crown Gall 427-450
and Piper, R. B.: Aerial Crown Gall of the Apple 249-262
Silage, Corn, Feeding to Dairy Cows, Grain Losses. R. B. Becker and Willis D. Gallup 223-227
Silking date, in corn, inheritance in crosses between inbred lines 712, 720
Sitophylus oryza, destruction by fumigants, study 925-926, 927
Smut—
loose. *See* Loose smut.
resistance, in oat crosses, dominance 962
Susceptibility in Oat Cross, Transgressive Segregation for. R. J. Garber, N. J. Giddings, and M. M. Hoover 953-962
Snider, George G., and Hoagland, Ralph: Nutritive Value of Proteins in Certain Kinds of Sausage and Other Meat Food Products 531-537
Soil—
constituents, relation to chlorosis in plants 876-891
disinfection—
effect of growth of tobacco in seed bed 866-871
effectiveness in control of cotton root rot 199-201, 220
extract, medium for legume-nodule bacteria in nitrogen fixation 908, 909, 915-921
factors affecting root growth of trees 137-138
fertility, effect on root growth of western yellow pine 142-143
Fertilizing at Different Depths in the Nursery, for Modification of Western Yellow Pine Root Systems. W. G. Wahlenberg 137-146
fungi, metabolic interchange, study 41-59
moisture, effect on—
freezing of alfalfa 276-277
seed setting in red clover 229-243, 245-247
phosphorus and potash, applications, residual values 878-879
reactions, effect on growth of tobacco 854-871
removal from clothes, experiments 542-548
Temperature and Reaction, Effects on Growth of Tobacco Infected and Uninfected with Black Root Rot. William L. Doran 853-872
Soiling, Artificial, of Cotton Fabrics Preparatory to Laundering Studies. A. Elizabeth Hill 539-550
Soils, liming, effect on tobacco strains resistant and susceptible to black root rot 862-871
Soja max. *See* Soybean.
Sorghum, host of cotton root-rot organism, study 644
Soybean—
Columbia—
origin and description 805
resistance to bacterial pustule disease, experiments 796-797, 800-805

Soybean—Continued. Page
nodule bacteria, growth and nitrogen fixation, experiments 899-903, 907, 914-920
Varietal Resistance to Bacterial Pustule Disease. Samuel G. Lehman and James W. Woodside 795-805
Spike density, in wheat, inheritance in cross between Federation and Sevier × Dicklow hybrid 368-369, 378-392
Spinach extract, effect on nitrogen fixation by nodule bacteria 910
Spindle tuber, potato, spread in western Nebraska 63, 64-68, 70-74
Spodipogon sibericus, host of *Helminthosporium giganteum* 134, 135
Sporangia, Phytophthora—
measurements for classification 293, 294-303, 308
Obtained under Standard Conditions, Size, Comparative Value. Leon H. Leonian and Herbert L. Geer 293-311
Sporogenesis, in sugarcane, description 12-20
Spray Residue, Sulphur, and the Swelling of Tin Cans Packed with Peaches. C. W. Culpepper and H. H. Moon 31-40
Spraying, peach trees, with acid lead arsenate, effect on foliage 393-398, 400
Staggerweed. See *Bikukulla eximia*.
Starch—
content of girasole plants 552-553, 555
media, crystals formed by *Bacterium marginatum*, experimental study 497-501
Starrett, Ruth Colvin; Artschwager, Ernst; and Brandes, E. W.: Development of Flower and Seed of Some Varieties of Sugarcane 1-30
Stem rust, wheat. *See* Wheat stem rust.
Stem tumor, on apple trees, nature, study 257, 258-259, 261
Stewart, George, and Heywood, D. E.: Correlated Inheritance in a Wheat Cross between Federation and a Hybrid of Sevier×Dicklow 367-392
Stock-poisoning plant, *Bikukulla eximia*, study 477-481
Stomata—
closed, of wheat, inoculation with stem-rust fungus 940-943
wheat, behavior in field and greenhouse 933-940
Storage—
effect on quality of apples 636-637
temperatures, of apples, effect on—
composition 628-631
pectic constituents 743-745
Streak disease, of maize, observation in West Africa 572-573
Sucrose, in apples, variation, study 625, 626-627, 628, 630-631, 632, 637
Sugar beet, inoculation with *Bacterium tumefaciens*, results 750
Sugarcane—
fertilization and seed development 22-23
Flower—
and Seed, Development in Some Varieties. Ernst Artschwager, E. W. Brandes, and Ruth Colvin Starrett 1-30
structure and development 9-12
mosaic infection in West Africa 571-572
seed—
development and structure 22-27
germination 28
Varieties, Flower and Seed Development. Ernst Artschwager, E. W. Brandes, and Ruth Colvin Starrett 1-30
Sugars—
content of—
chicory roots 554, 555
girasole plant 551-553, 555
in apples, variation, study 625, 626, 627, 628, 630-631, 632, 636, 638
Sulphur—
corrosive action on tin cans, study 32-39
effect on polarity of iron and tin 36-38
Spray Residues, and Swelling of Tin Cans Packed with Peaches. C. W. Culpepper and H. H. Moon 31-40
Sunflower, germination, effects of various fumigants 926-927
Sunlight—
effect on quality of apples, study 634-636
relation to stomatal behavior of wheat 933-934, 935, 937-938, 943-944, 946

Page

Sweet pea, fasciation, note 765
Swingle—
Charles F.: A Physiological Study of Rooting and Callusing in Apple and Willow 81–128
H. S.: Composition of Commercial Acid Lead Arsenate and Its Relation to Arsenical Injury 393–401

Tapke, Victor F.: Influence of Varietal Resistance, Sap Acidity, and Certain Environmental Factors on the Occurrence of Loose Smut in Wheat 313–339
Tasseling date, in corn, inheritance in crosses between inbred lines 712–713, 720
Tassels, mildew-infected, of teosinte—
behavior 818–820
structure, description 820–828
Taxonomy, fungi, criterion, discussion 304–305
Temperature—
apple foliage, relation to quality of fruit 634, 635
effect on—
composition and growth of wheat 341–349
decay of citrus fruits, study 166, 168–171, 174, 178–197
respiration and deterioration of vegetables 75–80
rooting and callusing of apple cuttings 83–86, 89–109, 126–127
rooting and callusing of willow cuttings 85–86, 109–126, 127
stomatal behavior of wheat 940
Sauerkraut during Fermentation, Relation to Quality. E. A. Marten, W. H. Peterson, E. B. Fred, and W. E. Vaughn 285–292
Soil, and Soil Reaction, Effects on Growth of Tobacco Infected and Uninfected with Black Root Rot. William L. Doran 853–872
storage, effect on pectic constituents of apples 743–745
Temperatures—
freezing, for alfalfa 266–268, 277–280, 281–282
killing, for alfalfa 269–271, 282
Teosinte, Tassels—
Malformed by Sclerospora, Observations on. William H. Weston, jr., and J. H. Craigie 817–836
structure, description 820–828
Thielavia basicola—
cause of black root rot of tobacco 853
incubation period on tobacco 855–859
See also Root rot, black, of tobacco.
Thor, Clifford J.; Traub, Hamilton P.; Zeleny, Lawrence; and Willaman, J. J.: The Chemical Composition of Girasole and Chicory Grown in Minnesota 551–555
Timothy, germination, effects of various fumigants 926–927
Tin—
cans. *See* Cans, tin.
polarity with iron, effect on oxygen and sulphur 36–38
Tobacco—
black root rot, development, environmental factors 853–871
chlorosis, symptom of mosaic 563
growth—
effect of liming soils 862–871
effect of soil disinfection 866–871
in soils not infected with black root rot 861–871
Infected and Uninfected with Black Root Rot, Growth, Effects of Soil Temperature and Reaction. William L. Doran 853–872
infection with black root rot, incubation period 855–859
inoculation with—
Bacterium tumefaciens, results 749, 753, 758, 759, 760
mosaic viruses from *Nicotiana glauca*, results 560–568, 575, 576, 577
leaf deformity, symptom of mosaic 567–568
mosaic infection, study in Canary Islands, West Africa, and Gibraltar 557, 560–568, 575, 576, 577
sand drown, cause and prevention 877–878, 881–883

Tobacco—Continued. Page
seed germination in root-rot-infected soil, study 854–855
tree. See *Nicotiana glauca*.
Tomato plants, inoculation with—
Bacterium tumefaciens, results 749, 750, 760
mosaic viruses from *Nicotiana glauca*, results 563–564, 566, 576
Toxicity, acid lead arsenate, commercial, to peach foliage, study 393–400
Traub, Hamilton P.; Thor, Clifford J.; Zeleny, Lawrence; and Willaman, J. J.: The Chemical Composition of Girasole and Chicory Grown in Minnesota 551–555
Tree seedlings, root growth—
regulation by method of fertilization 137–145
soil factors affecting 137–138
Trees, planting stock, drought hardiness, means of securing 137
Trifolium pratense. *See* Clover, red.
Tripsacum dactyloides, host of *Helminthosporium giganteum* 135
Tumor—
filtrates, effect on growth of *Bacterium tumefaciens*, hop strain 510–514, 526–529
juice, oxidized, of plants, effect on causal organism, study 503–529
stem, on apple trees, nature, study 257, 258–259, 261
Turkey corn. See *Bikukulla eximia*.

Ustilago tritici—
cause of loose smut in wheat 313, 315
life history 315–316
See also Loose smut.

Variability and Mean, as Affected by Continuous Selection for Composition in Corn. Floyd L. Winter 451–476
Vaughn, W. E.; Marten, E. A.; Peterson, W. H.; and Fred, E. B.: Relation of Temperature of Fermentation to Quality of Sauerkraut 285–292
Vegetables, Fresh, Deterioration at Room Temperature, Respiration Factor. Marjorie P. Benoy 75–80
Verruca vulgaris. *See* Warts, common.
Vetch, common and hairy, hosts of alfalfa wilt 352, 353
Virus Diseases of Potato, Spread in Western Nebraska. P. W. Goss 63–74
Viruses, mosaic, types from Canary Islands, West Africa, and Gibraltar, study 560–568, 570–577
Vitamin Content of Honey and Honeycomb. Hilda Black Kifer and Hazel E. Munsell 355–366
Vitamin A—
deficiency in corn-milling products, cause of ophthalmia 769
Distribution in Some Corn-Milling Products. Clara Rocke Meyer and Rossleene Arnold Hetler 767–780
free basal diet, effect on ophthalmia and growth in vitamin-A-deficient rats 771–772
in honey and honeycomb, determinations 356–359
sources in yellow corn kernel 767, 774, 777, 778
Vitamin B, in honey and honeycomb, determinations 359–361
Vitamin C—
Content of Fresh Sauerkraut and Sauerkraut Juice. Bertha Clow, Abby L. Marlatt, W. H. Peterson, and E. A. Martin 963–971
in honey and honeycomb, determinations 362–364
Vitamin D, in honey and honeycomb, determination 364–365

Wahlenberg, W. G.: Modification of Western Yellow Pine Root Systems by Fertilizing the Soil at Different Depths in the Nursery 137–146
Warren, D. C.: The Inheritance of Rhode Island Red Chick Down-Color Variations and Their Relation to Color Variations in Adult Plumage 781–794
Warts—
Common in Cattle, Etiology, Experimental Studies. G. T. Creech 723–737

Warts—Continued. Page
in cattle, bodily location and economic importance 723
transmission in animals, experimental study 723–737
Washing, cotton fabrics, determination of effects 546–548
Washington experiment station orchard, apple studies 623–638
Water—
meteoric, dissemination of apple fire blight 589–594, 618
treatment, effect on rooting and callusing of—
apple cuttings 86, 89–109
willow cuttings 86, 116–126, 127
Weimer, J. L.—
Additional Hosts of *Fusarium oxysporum* var. *medicaginis* 351–353
Some Factors Involved in the Winterkilling of Alfalfa 263–283
Weston, William H., jr., and Craigie, J. H.: Observations on Tassels of Teosinte Malformed by Sclerospora 817–836
Wheat—
characters—
correlations in inheritance studies 383–390
inheritance, experimental study 367–392
Cross between Federation and Hybrid Sevier×Dicklow, Correlated Inheritance. George Stewart and D. E. Heywood 367–392
Federation, characters, description 367
germination, effects of fumigants 926–927
growing temperature, relation to leaf acidity and vigor 341–349
hybrid, Sevier×Dicklow, characters, description 367–368
infection with loose smut, studies 318–320
Leaf Acidity, Relation to Vigor when Grown at Different Temperatures. Annie M. Hurd-Karrer 341–350
leaf juice—
hydrogen-ion concentration, indication of plant vigor 345–347, 349
hydrogen-ion concentration, variation with temperature 344–347, 349
specific gravity, variation with temperature 343–344, 347–349
leaves, dry weight, relation to growing temperature 342–344, 347, 349
Loose Smut, Occurrence, Influence of Varietal Resistance, Sap Acidity, and Certain Environmental Factors. Victor F. Tapke 313–339
plant—
acidity, relation to loose-smut resistance 332–333, 337
age, relation to stomatal activity 933–934, 946
vegetative vigor, relation to smut infection 334–336, 337
vigor, relation to leaf acidity when grown at different temperatures 341–349

Wheat—Continued. Page
resistance—
and susceptibility to loose smut, varietal tests 320–333, 337
to stem rust, factors affecting 929–930, 940–947
smut infection—
relation to vegetative vigor 334–336, 337
relation to winterkilling 333–334, 337
stem rust—
fungus entrance through stomata 930, 936, 940–946
Resistance, Relation to Stomatal Behavior. Helen Hart 929–948
spores, germination conditions 935, 941, 943
stomatal behavior—
relation to plant parts 933–934
Relation to Stem-Rust Resistance. Helen Hart 929–948
varieties—
infection by stem-rust spores 941
response to temperature 341–347
stomatal behavior 934–935, 936, 937, 939
winterkilling, relation to smut infection 333–334, 337
Williaman, J. J.; Traub, Hamilton P.; Thor, Clifford J.; and Zeleny, Lawrence: The Chemical Composition of Girasole and Chicory Grown in Minnesota 551–555
Willow cuttings—
oxygen requirements for rooting and callusing 125–126
rooting and callusing, physiological study 81–88, 109–126, 127
water treatment, effect on rooting and callusing 86, 116–126, 127
Winter, Floyd L.: The Mean and Variability as Affected by Continuous Selection for Composition in Corn 451–476
Winterkilling—
Alfalfa—
Factors Involved. J. L. Weimer 263–283
temperatures and exposures 269–271
wheat, relation to smut infection 333–334, 337
Wisconsin, Apple Fire Blight, Studies. P. W. Miller 579–621
Woodside, James W., and Lehman, Samuel G.: Varietal Resistance of Soybean to the Bacterial Pustule Disease 795–805
Woolly—
aphid, cause of root swellings of apples 239
knots, on apple trees, cause, investigations 430–445, 449

Young, H. D.: Effect of Various Fumigants on the Germination of Seeds 925–927

Zeleny, Lawrence; Traub, Hamilton; Thor, Clifford J.; and Willaman, J. J.: The Chemical Composition of Girasole and Chicory Grown in Minnesota 551–555
Zonate Eyespot, Fungus, *Helminthosporium giganteum*, Occurrence on Some Additional Grasses. Charles Drechsler 129–135